

Nomenclatural notes on Western Hemisphere Cerambycidae (Coleoptera)

Miguel A. Monné

Museu Nacional, Rio de Janeiro, Brazil

and

Edmund F. Giesbert

9780 Drake Lane

Beverly Hills, CA 90210

Abstract

Synonymies, new combinations, new status, revalidations, and generic transfers are presented for Western Hemisphere Cerambycidae. In the subfamily Prioninae, taxa are in the tribes Macrodoniini and Mallaspidini; in the subfamily Cerambycinae in the tribes Cerambycini, Elaphidiini, Molorchini, Rhinotragini, Compsocerini, Callidiini, Clytini, Cleomenini, Heteropsini and Trachyderini; and in the subfamily Lamiinae in the tribes Parmenini, Lamiini, Onciderini, Pteropliini, Pogonocherini, Desmiphorini, Acanthoderini, Acanthocinini, Aerenicini and Calliini.

Introduction

The availability of a great number of specimens belonging to important collections such as the Museu Nacional, Rio de Janeiro, the Museu de Zoologia, São Paulo, the Essig Museum of Entomology, Berkeley, and several private collections in California, and also the opportunity to examine photographs of types deposited in European museums, has contributed greatly to an increased understanding of the Western Hemisphere Cerambycidae.

During the preparation of a new checklist of the Cerambycidae and Disteniidae of the Western Hemisphere, it has become necessary to incorporate certain changes in nomenclature, such as synonymy, new combinations, and changes of taxonomic assignments. Rather than publishing these changes as a part of the checklist, we are presenting the following preliminary nomenclatural notes.

Acknowledgments to Ubirajara R. Martins, Sérgio Fragoso, Carlos A. Campos Seabra, Gérard Tavakilian, Jesus Moure, John A. Chemsak, and Frank T. Hovore for their valuable assistance and suggestions.

Subfamily Prioninae

Tribe Macrodoniini

Macrodonia cervicornis zischkai Tippmann, 1960: 92.

Macrodonia cambeforti Bleuzen, 1990:9, **new synonymy.**

Macrodonia d. dejeani Gory, 1839:127.

Macrodonia marechali Bleuzen, 1990:9, **new synonymy.**

Tribe Mallaspidini

Calocomus desmaresti (Guérin-Méneville, 1830:pl. 42, fig. 8).

Calocomus lunuliferus Drapiez, 1837:53, **new synonymy.**

Subfamily Cerambycinae

Tribe Cerambycini

Ischionorox Aurivillius, 1822:405, transferred from the Aseminae.

Tribe Elaphidiini

Elaphidion mimeticum Schaeffer, 1905:132.

Trichophorus elaphidionoides Fuchs, 1961: 2, **new synonymy.**

Neotrichophoroides pilicornis (Fuchs, 1961:1), **new combination**, from *Ambonus* Gistel 1848: 11.

Nyssicus topographicus (Linsley 1935:109).

Nyssicus setosus Lacey, 1949:7, **new synonymy.**

Tribe Molorchini

Oxycoleus brasiliensis (Tippmann, 1953:223), **new combination**, from *Merionoeda* Pascoe, 1858.

Oxycoleus carinatipennis (Zajciw, 1964:249), **new combination**, from *Merionoeda* Pascoe, 1858.

Oxycoleus latipennis (Zajciw, 1964:253), **new combination**, from *Merionoeda* Pascoe, 1858.

Oxycoleus ruficollis (Zajciw, 1964:250), **new combination**, from *Merionoeda* Pascoe, 1858.

Tribe Rhinotragini

Acorethra erato (Newman, 1840:21), **new combination**, from *Epimelitta* Bates, 1870.

Acorethra chryaspis Bates, 1873:126, **new synonymy.**

Epimelitta eupheme (Lameere, 1884:89).

Ischasia cazieri Fisher, 1952:4, **new synonymy.**

Epimelitta euphrosyne (Newman, 1840:21).

Charisia hirsutipennis Zajciw, 1973:14, **new synonymy.**

Epimelitta laticornis (Klug, 1825:469), **new combination**, from *Tomopterus* Audinet-Serville, 1833.

Charis melete Newman, 1841:9t, **new synonymy.**

Epimelitta manni (Fisher, 1930:15), **new combination**, from *Phygopoda* Thomson, 1864.

Epimelitta meliponica Bates, 1870:331.

Epimelitta miranda Tippmann, 1960:128, **new synonymy.**

Neogostoma, **new name** for *Oregostoma* Audinet-Serville, 1833:555 (part). (Type-species, *Oregostoma discoideum* Audinet-Serville, 1833:552, Thomson designation, 1864:167 (not Thomson, 1860:178)).

Neogostoma coccineum (Gory in Guérin-Ménéville, 1831: pl. 44, fig. 7), **new combination**, from *Rhinotragus* Germar. 1824.

Oregostoma rubricorne Audinet-Serville, 1833:553, **new synonymy.**

Neogostoma discoideum (Audinet-Serville, 1833:552), **new combination**, from *Oregostoma* Audinet-Serville, 1833.

Neogostoma erythrocallum (Lane, 1940:1), **new combination**, from *Oregostoma* Audinet-Serville, 1833.

Neogostoma fasciatum (Aurivillius, 1920:362), **new combination**, from *Oregostoma* Audinet-Serville, 1833.

Neogostoma luridum (Klug, 1825:470), **new combination**, from *Oregostoma* Audinet-Serville, 1833.

Neogostoma spinipenne (Fuchs, 1961:9), **new combination**, from *Oregostoma* Audinet-Serville, 1833.

Neogostoma unicolor (Aurivillius, 1920:362), **new combination**, from *Oregostoma* Audinet-Serville, 1833.

Ommata (*Ommata*) *maia* (Newman, 1841:92).

Odontocera alboscuteolata Fisher, 1947:4, **new synonymy.**

Ommata (*Chrysaethe*) *amoena* Gounelle, 1911:124.

Ommata (*Chrysaethe*) *laceyi* Fisher, 1952:11, **new synonymy.**

Ommata (*Eclipta*) *bivitticollis* (Fisher, 1952:7), **new combination**, from *Odontocera* Audinet-Serville, 1833.

Ommata (*Eclipta*) *curvatovittata* Fuchs, 1961:12, **new synonymy.**

Ommata (*Eclipta*) *eunomia* (Newman, 1841:92).

Ommata (*Eclipta*) *plaumanni* Fuchs, 1961:13, **new synonymy.**

Ommata (*Eclipta*) *semiflammea* Gounelle, 1911:137).

Ommata (*Eclipta*) *bicolor* Fuchs, 1961:15, **new synonymy.**

Ommata (*Eclipta*) *vitticollis* Bates, 1873:34.

Ommata (*Eclipta*) *holosericea* Zajciw, 1967:321, **new synonymy.**

Oregostoma Audinet-Serville, 1833:555 (part).

Ommata (*Phoenissa*) Bates, 1873:26 (Type-species, *Oregostoma nigripes* Audinet-Serville, 1833:552, Thomson designation, 1860:178), **new synonymy.**

Oregostoma bipartitum (Bates, 1873:26), **new combination**, from *Ommata* (*Phoenissa*) Bates, 1873.

Oregostoma nigripes Audinet-Serville, 1833:552. Returned to *Oregostoma* from *Ommata* (*Phoenissa*).

Oregostoma nitidiventre (Gounelle, 1911:123), **new combination**, from *Ommata* (*Phoenissa*) Bates, 1873.

Oregostoma puniceum (Newman, 1838:495), **new combination**, from *Ommata* (*Phoenissa*) Bates, 1873.

Sphexomorpha forficulifera (Gounelle, 1913:388), **new combination**, from *Acyphoderes* Audinet-Serville, 1833.

Acyphoderes propinquus Linsley, 1934:350, **new synonymy.**

Sphecomorpha vespiventris (Bates, 1880:430), **new combination**, from *Acyphoderes* Audinet-Serville, 1833.

Tomopterus albopilosus Zajciw, 1964:423.

Tomopterus ornatipennis Zajciw, 1971:314, **new synonymy**.

Tomopterus basimaculatus Zajciw, 1964:425.

Tomopterus tuberculicollis Zajciw, 1964a:427, **new synonymy**.

Tomopterus larroides White, 1855:177.

Tomopterus vittipennis Fisher, 1930:17, **new synonymy**.

Tomopterus subvespoides Zajciw, 1971:316, **new synonymy**.

Tomopterus staphylinus Audinet-Serville, 1833:545.

Tomopterus tuberculatus Zajciw, 1971:313, **new synonymy**.

Xenocrasis pubipennis (Fisher, 1952:16), **new combination**, from *Ommata* (*Rhopalessa*) Bates, 1873.

Tribe Compsocerini

Orthostoma cyaneum (Pascoe, 1860:62).

Orthoschema bicoloricorne Fuchs, 1959:3, **new synonymy**.

Tribe Callidiini

Semanotus ligneus parvicollis (Casey, 1912:272), **new combination**, from *Anocomis* Casey, 1912.

Semanotus ligneus conformis (Casey, 1924:236), **new synonymy**.

Tribe Clytini

Plagionotus latreillei (Laporte & Gory, 1835:91).

Cyllene unicoloricollis Fuchs 1961a:447, **new synonymy**.

Tribe Cleomenini

Listroptera tenebricosa (Olivier, 1790:309).

Listroptera aterrima (Germar, 1824:497), **new synonymy**.

Tribe Heteropsini

Allodemus tricolor (Perty, 1832:91), **new combination**, from *Mallosoma* Audinet-Serville, 1834.

Allodemus flavofasciatus Zajciw, 1962:200, **new synonymy**.

Erythrochiton jucundus (Gounelle, 1913:225), **new combination**, from *Mallosoma* Audinet-Serville, 1834.

Homogenes Thomson in Chevrolat, 1862:751, **revalidated**. Type-species *Eriphus albolineatus* (Buquet in Guérin-Méneville, 1844:226, by present designation).

Homogenes albolineatus (Buquet in Guérin-Méneville, 1844:226), **new combination**, from *Mallosoma* Audinet-Serville, 1834.

Homogenes leprieurii (Buquet in Guérin-Méneville, 1844:226), **new combination**, from *Mallosoma* Audinet-Serville, 1834.

Stratone Thomson, 1864:335.

Paracalydon Zajciw, 1961:220, **new synonymy**.

Stratone transversalis (Chevrolat, 1862:752), **new combination**, from *Mallosoma* Audinet-Serville, 1834.

Paracalydon succinctum Zajciw, 1961:220, **new synonymy**.

Trichrous bicolor (Sallé, 1856:687), **new combination**, from *Mallosoma* Audinet-Serville, 1834.

Trichrous fisheri, **new name** for *Trichrous bicolor* Fisher, 1932:70 (not Sallé, 1856:687).

Tribe Trachyderini

Subtribe Ancylocerina

Ceralocyna nigricollis (Gounelle, 1911:218), **new status**.

Ceralocyna nigricornis (Gounelle, 1911:217), **new status**.

Subtribe Trachyderina

Crossidius hirtipes wickhami Casey, 1912:337.

Crossidius parallelus Casey, 1924:265, **new synonymy**.

The holotype of *Cryptobias ocellatus* Dohrn 1879:459 is a composite specimen, with the head of *Chydarteres dimidiatus dimidiatus* (Fabricius, 1787) and the body of *Cryptobias coccineus* Dupont, 1834.

Chydarteres d. dimidiatis (Fabricius 1787:133).

Cryptobias ocellatus Dohrn, 1879:459 (part), **new synonymy**.

Cryptobias coccineus Dupont in Audinet-Serville, 1834:36.

Cryptobias ocellatus Dohrn, 1879:459 (part), **new synonymy**.

Megaderus stigma (Linnaeus, 1758:395).

Megaderus latifasciatus Bates, 1870:438, **new synonymy**.

Subfamily Lamiinae

Tribe Parmenini

Mecynome Bates, 1885:335.

Caudelytra Franz, 1954:221, **new synonymy**.

Mecynome aenescens Bates, 1885:335.

Caudelytra quadrispinosa Franz, 1954:222, **new synonymy**.

Tribe Lamiini

Monochamus notatus (Drury, 1773:65).

Monochamus notatus morgani Hopping, 1945:17, **new synonymy**.

Tribe Onciderini

Cylicasta parallela (Melzer, 1934:93), **new combination**, from *Hypsioma* Audinet-Serville, 1835.

Cylicasta chionea Martins, 1979:155, **new synonymy**.

Neodillonion albisparsa (Germar, 1840:477).

Neodillonion adspersa (Laporte, 1840:482), **new synonymy**.

Oncideres macra Thomson, 1868:87.

Oncideres teixeirai Martins & Galileo, 1990:90, **new synonymy**.

Tribe Pteropliini

Cryptocranium Audinet-Serville, 1835:75.

Omatodesisa Breuning, 1961:18, **new synonymy**.

Cryptocranium cazieri Lane, 1958:6.

Omatodesisa pulchra Breuning, 1961:19, **new synonymy**.

Proxepectasis, **new name** for *Parepectasis* Breuning, 1974:159 (not *Parepectasis* Bruch, 1926:344).

Proxepectasis boliviana (Breuning, 1974:159), **new combination**, from *Parepectasis* Breuning, 1974.

Tribe Pogonocherini

Hypomia Thomson, 1868:51. Transferred from the Onciderini.

Tribe Desmiphorini

Desmiphora travassosi Mendes, 1938:316.

Desmiphora albolineata Breuning, 1942:156, **new synonymy**.

Estola obscura (Fabricius, 1792:261).

Estola flavicollis Breuning, 1940:62, **new synonymy**.

Estola obscurella, **new name** for *Estola obscura* Thomson, 1868:123 (not Fabricius, 1792).

Panegyrtes sparsepunctatus Breuning, 1940:179, **revalidated**.

Periestola Breuning, 1943:54.

Paracobelura Monné & Martins, 1976:85, **new synonymy**.

Periestola strandi Breuning, 1943:54.

Paracobelura curiosa Monné & Martins, 1976:85, **new synonymy**.

Ptericoptus truncatus Melzer, 1935:190.

Estola truncata Breuning, 1940:72, **new synonymy**.

Tribe Acanthoderini

Acanthoderes melanostictus White, 1855:361.

Acanthoderes contaminatus Thomson, 1865:543, **new synonymy**.

Eupromerella Fisher, 1938:147. Transferred from the Desmiphorini.

Eupromerella clavator (Fabricius, 1801:291), **new combination**, from *Acanthoderes* Audinet-Serville, 1835.

Eupromerella griseofasciata (Fuchs, 1958:55), **new combination**, from *Acanthoderes* Audinet-Serville, 1835.

Eupromerella orbifera (Aurivillius, 1908:9), **new combination**, from *Acanthoderes* Audinet-Serville, 1835.

Eupromerella propinqua (Melzer, 1931:61), **new combination**, from *Acanthoderes* Audinet-Serville, 1835.

Eupromerella semigrisea (Bates, 1861:217), **new combination**, from *Acanthoderes* Audinet-Serville, 1835.

Eupromerella versicolor (Melzer, 1925:190), **new combination**, from *Acanthoderes* Audinet-Serville, 1835.

Eupromerella brasiliensis Fisher, 1938:148, **new synonymy**.

Oreodera achatina Erichson, 1847:143.

Oreodera lacteostrigata Bates, 1861:52, **new synonymy**.

Oreodera aerumnosa Erichson, 1847:142.

Oreodera remota Pascoe, 1859:29, **new synonymy**.

Oreodera granulifera Bates, 1872:204.

Oreodera pulcherrima Monné & Fragoso, 1988:821, **new synonymy**.

Pseudaethomerus lacordairei (Bates, 1862:120), **new combination**, from *Macronemus* Dejean, 1835.

Tribe Acanthocinini

- Alcathousites superstes* (Erichson, 1847:146), **new combination**, from *Leiopus* Audinet-Serville, 1835.
- Amniscus* Dejean, 1835:338, type-species *Lamia praemorsa* Fabricius, 1792:275, by present designation.
- Leptostyloides* Gilmour, 1963:62, **new synonymy**.
- Paratrypanidius* Gilmour, 1963a:14, **new synonymy**.
- Amniscus assimilis* (Gahan, 1895:136), **new combination**, from *Leptostyloides* Gilmour, 1963.
- Amniscus praemorsus* (Fabricius, 1792:275), **new combination**, from *Leptostyloides* Gilmour, 1963.
- Amniscus similis* (Gahan, 1895:136), **new combination**, from *Leptostyloides* Gilmour, 1963.
- Atrypanius conspersus* (Germar, 1824:474).
- Liopus polymitus* Erichson, 1847:146, **new synonymy**.
- Atrypanius irrorellus* Bates, 1885:411.
- Atrypanius trinidadensis* Gilmour, 1963:76, **new synonymy**.
- Atrypanius remissus* (Erichson, 1847:146), **new combination**, from *Leiopus* Audinet-Serville, 1835.
- Atrypanius lentiginosus* (Bates, 1864:150), **new synonymy**.
- Atrypanius spermophagus* (Fisher, 1917:173), **new combination**, from *Lepturges* Bates, 1863.
- Hyperplatys argentinus* (Berg, 1889:105), **revalidated**.
- Karadinia* McKeown, 1942:97.
- Archlagocheirus* Dillon, 1957:164, **new synonymy**.
- Karadinia funesta* (Thomson, 1865:545), **new combination**, from *Archlagocheirus* Dillon, 1957.
- Karadinia nubila* McKeown, 1942:97, **new synonymy**.
- Lepturges infilatus* Bates, 1872:216.
- Lepturges pallisteri* Gilmour, 1961:335, **new synonymy**.
- Lophopoeum* Bates, 1863:275.
- Scutelungus* Gilmour, 1959:6, **new synonymy**.
- Lophopoeum freudei* (Gilmour, 1959:7), **new combination**, from *Scutelungus* Gilmour, 1957.
- Nyssodrycina* Casey, 1913:309.
- Nyssodrycina* Gilmour, 1962:256, **new synonymy**.
- Sternidurges* Gilmour, 1958:329, **new synonymy**.
- Nyssodrycina corticalis* (Bates, 1864:151), **new combination**, from *Nyssodrycina* Gilmour, 1962.

- Nyssodrycina spreta* (Bates, 1864:152), **new combination**, from *Nyssodrycina* Gilmour, 1962.
- Nyssodrycina stictica* Gilmour, 1962:257, **new synonymy**.
- Nyssodrycina leucopyga* (Bates, 1872:221).
- Sternidurges apicalis* Gilmour, 1958:331, **new synonymy**.
- Ozineus annulicornis* (White, 1855:383), **new combination**, from *Leiopus* Audinet-Serville, 1835.
- Stenolis angulata* (Fabricius, 1801:312), **new combination**, from *Leptostylus* LeConte, 1852.
- Stenolis undulata* Bates, 1864:149, **new synonymy**.
- Styloleptus nigrinotatus* (Zayas, 1975:261), **new combination**, from *Urgleptes* Dillon, 1956.
- Styloleptus zorrillai* (Zayas, 1975:259), **new combination**, from *Urgleptes* Dillon, 1956.
- Tithonus spitzi* (Melzer, 1934:232), **revalidated**, **new combination**, from *Lophopoeum* Bates, 1863.
- Xylergatina pulchra* (Lane, 1957:10).
- Xylergates praetor* Duffy, 1960:259, **new synonymy**.

Tribe Aerenicini

- Recchia* Lane, 1966:232.
- Trichohippopsoides* Breuning, 1980:68, **new synonymy**.
- Recchia albicans* (Guérin-Ménéville, 1831:pl. 45, fig. 4).
- Trichohippopsoides albicans* Breuning, 1980, **new synonymy**.

Tribe Calliini

- Callia axillaris* (Dalman, 1823:69).
- Callia flavofemorata* Laporte, 1840:486, **new synonymy**.

Literature Cited

- Bleuzen, P. 1990. Revision du genre *Macrodonia* Serville, 1832 (Coleoptera, Cerambycidae, Prioninae, Ancistrotini). *Sciences Nat.*, 67:8-11.
- Breuning, S. 1961. Revision des Pteropliini (Col., Cerambycidae). *Pesquisas, P. Alegre*, (5)9:5-60.
- Breuning, S. 1974. Neue Arten und Gattungen von Lamiinen (Coleoptera, Cerambycidae). *Mitt. zool. Mus. Berlin*, 50(1):149:165.

- Breuning, S.** 1980. Nouveaux Cerambycidae Lamiinae néotropicaux (Col.). Bull. Soc. ent. France, 85:67-71.
- Dillon, L. S.** 1957. Revision of the neotropical Acanthocinini (Coleoptera: Cerambycidae). The genus *Lagocheirus*. Bull. Brooklyn Mus. nat. Hist., (Ent.), 6:137-166.
- Fisher, W. S.** 1952. New cerambycid beetles belonging to the tribe Rhinotragini from South America (Coleoptera). Amer. Mus. Novit. 1552:1-17.
- Franz, E.** 1954. Cerambycidae (Ins., Col.) aus El Salvador. Senckenbergiana, 34(4-6):213-229.
- Fuchs, E.** 1958. 3. Beitrag zur Kenntnis der neotropischen Cerambyciden. Koleopt. Rundsch. 36:52-61.
- Fuchs, E.** 1959. Neue Cerambyciden (Coleoptera) aus dem Institut Royal des Sciences Naturelles de Belgique. Bull. Inst. Sci. nat. Belgique 13(35):1-4.
- Fuchs, E.** 1961. 4. Beitrag zur Kenntnis der neotropischen Cerambyciden. Koleopt. Rundsch. 39:6-21.
- Fuchs, E.** 1961a. Zwei neue *Cyllene*-Arten aus der Sammlung des Senckenberg-Museums. Senckenberg biol. 42(5-6):447-450.
- Fuchs, E.** 1961b. Neue Cerambyciden (Coleoptera) aus dem Institut Royal des Sciences Naturelles de Belgique. Bull. Inst. Sci. nat. Belgique 37(40):1-5.
- Gilmour, E. F.** 1959a. On the neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). New genera and species from Mexico. Anal. Inst. Biol., Mexico, 29(1-2):329-341.
- Gilmour, E. F.** 1959b. On the neotropical Acanthocinini IV (Coleoptera, Cerambycidae, Lamiinae). Opusc. Zool. Munch. 27:1-9.
- Gilmour, E. F.** 1961. On the neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). New Mexican *Lepturges* and *Urgleptes*. Anal. Inst. Biol., Mexico, 31(1-2):335-347.
- Gilmour, E. F.** 1962. On the neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). Some new genera and generic revisions. Beitr. neotrop. Fauna 2(4):249-293.
- Gilmour, E. F.** 1963. On the neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). Some Caribbean genera and species. Stud. Fauna Curaçao 17(76):57-96.
- Gilmour, E. F.** 1963a. On the neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). Some new genera and species II. Revta. Fac. Agron., Maracay, 3(2):3-19.
- Gistel, J. N. F.** 1848. Naturgeschichte des Thierreichs für höhere Schulen. Stuttgart, 216 pp., 32 pl.
- Lacey, L.** 1949. Descriptions of three new longicorn beetles with a key to the species belonging to the genus *Nyssicus* (Coleoptera, Cerambycidae). Amer. Mus. Novit. 1439:1-9.
- Lane, F.** 1966. Novos generos e espécies de Aerenicini (Coleoptera, Lamiidae). Papeis Avulsos Zool. 18(19):231-235.
- Linsley, E. G.** 1935. New species of neotropical longicorn beetles. Stylops, London, 4(5):109-113.
- Martins, U. R.** 1979. Descrições e notas sobre Onciderini (Coleoptera, Cerambycidae). Revta. bras. Ent. 23(3):147-156.
- Martins, U. R., & M. H. M. Galileo.** 1990. Onciderini (Coleoptera, Cerambycidae, Lamiinae): sinonímias, novos táxons, chaves e notas. Papéis Avulsos Zool. 37(4):53-95.
- Monné, M. A., & S. A. Fragoso.** 1988. Novas espécies e sinonímia de *Oreodera* Audinet-Serville, 1835 (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini). Revta. bras. Biol., R. Janeiro, 48(4):81-831.
- Monné, M. A., & U. R. Martins.** 1976. Contribuição ao conhecimento dos Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). Papéis Avulsos Zool. 30(4):43-98.

- Schaeffer, C. F. A.** 1905. Additions to the Coleoptera of the United States with notes on some known species. *Sci. Bull. Mus. Brooklyn Inst. Arts Sciences* 1(6):123-140.
- Tippmann, F. F.** 1953. Studien über neotropische Longicornier I (Coleoptera, Cerambycidae). *Dusenia, Curitiba*, 4:181-228.
- Tippmann, F. F.** 1960. Studien über neotropische Longicornier III (Coleoptera, Cerambycidae). *Koleopts. Rundsch.* 37-38:82-217.
- Zajciw, D.** 1961. Novos longicórneos neotrópicos IV (Col., Cerambycidae). *Revta. bras. Biol.* 21 (2):217-224.
- Zajciw, D.** 1962. Novos longicórneos neotrópicos V (Col., Cerambycidae). *Revta. bras. Biol.* 22(2): 197-204.
- Zajciw, D.** 1964. Revisão das espécies brasileiras do gênero *Merionoeda* Pascoe (Col., Cerambycidae). *Studia Ent.*, 7(1-4):247-256.
- Zajciw, D.** 1964a. Quatro espécies novas do gênero *Tomopterus* Serville, 1833 (Col., Cerambycidae, Rhinotragini). *Revta. bras. Biol.* 24(4):423-428.
- Zajciw, D.** 1967. Novos longicórneos neotrópicos XIV (Col., Cerambycidae, Cerambycinae). *Anais Acad. bras. Cienc.* 39(2):321-325.
- Zajciw, D.** 1969. Três espécies novas do gênero *Tomopterus* Serville, 1833 (Col., Cerambycidae, Rhinotragini). *Studia Ent.*, 12(1-4):411-416.
- Zajciw, D.** 1971. Novas espécies do gênero *Tomopterus* Serville, 1833 da América do Sul (Col., Cerambycidae, Rhinotragini). *Revta. bras. Biol.* 31(3):313-317.
- Zajciw, D.** 1973. Duas novas espécies do gênero *Charisia* Champion, 1892 do Brasil (Coleoptera, Cerambycidae, Rhinotragini). *Atas Soc. Biol., R. Janeiro*, 17(1):13-14.
- Zayas, F. de.** 1975. Revisión de la familia Cerambycidae (Coleoptera, Phytophagoidea), 443pp., Acad. Cienc. Cuba, La Habana.